



POLYSTEEL


LAMP POST






APOLLO

Available Colour Shades:




about

4000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.



BAZEO

Available Colour Shades:




about

4000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.


BEGA SA

Available Colour Shades:



about

4000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.




2990 mm

4000 mm

338 mm


BEGA DA


Available Colour Shades:



about

4000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.





CEASER

Available Colour Shades:



about

3000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.


COLEY

Available Colour Shades:




about

3130 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.




COSMO

Available Colour Shades:



about

1800 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.




ERGO

Available Colour Shades:



about

1358 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.




GEO

Available Colour Shades:



about

2000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.



GIBSON SA

Available Colour Shades:



about

4000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.

Height option :


(3000, 4000, 5000) mm



GIBSON DA



Available Colour Shades:



about


4000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.

Height option :

(3000, 4000, 5000) mm


KARBI


Available Colour Shades:



about


3250 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.






KITBE

Available Colour Shades:




about

3000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.



MYSTIC SA

Available Colour Shades:




about

6000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.


Height option :

(4000, 5000, 6000) mm



MYSTIC DA

Available Colour Shades:



about


6000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.

Height option :

(4000, 5000, 6000) mm


NOVA

Available Colour Shades:



about

3212 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.



3212 mm

OLYMPUS

Available Colour Shades:




about

8000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.

Height option :

(6000, 7000, 8000, 9000) mm




QUINTO


Available Colour Shades:



about


3947 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.





STELLA SA

Available Colour Shades:



about


4000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.

Height option :

(3000, 4000, 5000) mm

STELLA DA

Available Colour Shades:





about

4000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.

Height option :


(3000, 4000, 5000) mm





TRENT

Available Colour Shades:



about


9000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.

Height option :

(9000, 11000) mm

TURIN


Available Colour Shades:



about


3000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.





VICTOR SA

Available Colour Shades:



about


6000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.

Height option :

(4000, 5000, 6000) mm

VICTOR DA

Available Colour Shades:




about

6000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.


Height option :

(4000, 5000, 6000) mm



VOX SA

Available Colour Shades:




about

3750 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.



VOX DA

Available Colour Shades:




about

3750 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.



WINDSOR


Available Colour Shades:



about

5000 mm Polysteel Lamp Post made of marine quality Composite (marine grade corrosion resistant & hydrocarbon solvent resistant) with Inner frame made of mild steel hot-dip galvanized, post fabrication. All hardware is of stainless steel. It's reinforced with matt glass fibre with high density of emulsion chopped strand matt. The product is all weather proof & maintenance free with design life of >20 years & it retain their colour & appearance for years to come. It's Self coloured textured surface finish is scratch resistant & UV stable polyurethane top viscosity UV stabilised aliphatic paint. These lamp posts are individually hand crafted to replicate steel and cast iron, which usually require maintenance & care. The foundation is anchor bolt type, fitted with MS Flange (base plate). The pole concoct of access door for integral fitment of electrical accessories. The product consist of FPP lantern with polycarbonate diffuser.

Pole Height option : (4000, 5000, 6000) mm



SENCE




SENCE



SENCE



SENCE



SPLENDOUR



EPP COMPOSITES PVT.LTD.

Registered office

Plot No. 2646, Kranti Gate Main Road,
GIDC Lodhika Industrial Estate,
kalawad Road, Metoda,
Rajkot - 360021, Gujarat
Tele : 095588 06483
E-mail : grandeur@epp.co.in
Website : www.eppgrandeur.com

USA office

121, Fairfield way suit, 314,
Bloomingdale, IL 60108-2521, USA.

Branch office

801, Iscon Elegance, Near Prahladnagar
cross Road, S.G.Highway,
Ahmedabad - 380055,
Gujarat

Resident office

Bangalore, Chennai, Guwahati,
Delhi, Hyderabad, Indore,
Kolkata, Lucknow, Mumbai